

Brackets & Power Supply



Key Features:

- RP513F1X Series Are Low Profile and High Power Density U-Bracket Power Supplies.
- ♣ RP513F1X Series is a Compact and Elasticity Series and Design for Universal AC to200W/ DC Power Supply Application.
- ♣ 3"x5"x1.4" Small Size.
- High Power Density: 10.5W / in3.
- 4 1, 2, 3 or 4 DC Output.
- High Efficiency Up to 90%.
- Low Profile 1U.
- Active PFC.
- Built in Oring Diodes Optional.
- RoHs Complian.t

Specifications:

- ✓ U-Bracket, L-Bracket, ZL-Bracket
- > Free Hardware and Software Support
- ➤ 1 Year Hardware Warranty



Company Profile

Introduction

Explore a world of wide-ranging industry Services aimed at making your business more productive and profitable. Cherish the experience of working with dedicated professionals. Nurture an association based on trust and mutual respect.

Our specialty solutions and services enable you to focus on your core domain. Offload your non-core tasks to us; now enjoy better cost control, greater resource optimization and improved customer relationship.

For Free Demo Contact Us

Contact No: - +91 8805000915,020-25383671

Email Id: - sales@divinityit.com, support@divinityit.com

Skype:-divinity.it

Our Offices

Head Office:

Divinity IT Solutions, A 501 Aarav, Near Shivaji Putala, Kothrud, Pune-411038.

Brach Office:

Mumbai (Kharaghar, Malad, Fort), Kolhapur, Nashik, Delhi, Chennai, Hydrabad, Benglore, Kochi.

